

**MAGTEK®**  
SECURITY FROM THE INSIDE



## PIN Devices for Retail

Secure Cryptographic Devices for PIN, Magstripe and EMV



### DynaPro

Secure cryptographic device for PIN, with SCRA, EMV contact / contactless, and optional contactless NFC, signature capture, and privacy shield

Financial institutions, businesses and retailers know they can rely on MagTek®. MagTek Secure Cryptographic Devices provide the trusted and reliable performance expected by security minded customers. MagTek's PIN and data entry devices offer the best in security solutions. They are easy to use and offer a convenient variety of configurations. MagTek's DynaPro, DynaPro Mini and IPAD® series offer the most secure PIN solution on the market delivering onboard instant encryption and device authentication. MagTek PIN devices exceed PCI PED regulations and offer encryption at the point of swipe.

### SECURE TRANSACTIONS

MagTek SCDs are unique in the marketplace by offering more than other devices, including the MagneSafe™ Security Architecture (MSA) foundation. The MSA has evolved exponentially from its inception in 2006 when it delivered the industry's first SCRA for secure electronic transactions. The MSA is a digital identification and authentication architecture that safeguards consumers and their personal data. Designed to exceed PCI regulations, MSA leverages strong encryption, secure tokenization, counterfeit detection, tamper recognition, data relevance and integrity, and dynamic digital transaction signatures, which together validate and protect the entire transaction and each of its components. MagTek SCDs combine the industry's best practices and standards for encryption (3DES), key management (DUKPT), and data protection. Consumer transaction data is protected by encrypting all PIN, magstripe, smartcard, and manually keyed data as soon as it is entered into the device.

A key feature of the MSA is MagnePrint® card authentication, a patented, proven technology which reliably identifies counterfeit credit cards, debit cards, gift cards, ATM cards and ID cards at the point of swipe, before fraud occurs. MSA's multi-layer security provides unmatched protection and flexibility for safer online transactions.

MagTek is an official ESO (Encryption Support Organization).

Call a representative to learn more  
562-546-6400

## REDUCE SCOPE OF PCI - EXCEED COMPLIANCE MEASURES

The integrated SCRA delivers instant encryption so your customers' sensitive card details never enter your system in the clear. The data is sent securely over SSL connections for decryption, authentication and processing. SCRA's are the ONLY readers that can perform real-time counterfeit card detection and encrypt the card data within the read head.

## REMOTE SERVICES FOR EASY IMPLEMENTATION

Simple device connection and a reliable swipe path, make training fast. MagTek SCDs are ready to meet today's requirements, and tomorrow's opportunities. Each device has its own unique, unchangeable serial number, which supports audit tracking, device/host authentication and remote services.

MagTek's secure remote services include key injection and device configuration. These services are compliant with PCI P2PE environments, and eliminate the need for merchants to manage sensitive information such as encryption keys or device configuration settings. Remote services for key and device management allow for the upgrade of keys or device security settings throughout the life of the device, and remove the need for retailers to recall devices. Such flexibility provides peace of mind in knowing that you have maximum flexibility to manage changes in the future and the flexibility to support tomorrow's evolving technologies.

MagTek offers a comprehensive platform of drivers, APIs, and SDKs for fast development and easier integration.

## DynaPro

Prevent card data breaches without compromising the speed and convenience of consumers' transactions with DynaPro.

DynaPro is a sleek, multifunction point of transaction and POS PIN Entry Device with encrypting keypad, a MagneSafe™ secure card reader authenticator (SCRA), EMV contact/contactless smart card reader and optional NFC (contactless) capabilities. DynaPro provides all of this functionality within a slim, stylish, and rugged payment secure cryptographic device (SCD) that can be hand-held or fix mounted.

DynaPro allows merchants to use one device for a variety of card technologies. DynaPro encrypts cardholder payment data, exceeds PCI DSS security requirements, and provides a future-proof migration path for tomorrow's EMV payment technologies. Start using the DynaPro, an EMV-equipped payment terminal to future-proof your payment solution (no changes needed for current MagTek IPAD® customers). Install immediately for magstripe card transactions, and remotely turn on EMV in the future, once the US market is ready.

## ENHANCED EXPERIENCE - MAXIMUM ACCEPTANCE

The DynaPro's integrated features provide a single point-of-transaction interface for all of your consumers' payment and transactional needs. The compact design provides a small footprint that fits easily into retail POS environments. DynaPro comes standard as a PIN entry device with a secure card reader authenticator (SCRA), EMV smartcard reader, secure PIN pad, color display, programmable function buttons, and a USB 2.0 interface. Optional features include: NFC contactless card reader, signature capture, privacy shield, and Ethernet interface. DynaPro expands its acceptance with PIN or signature user authentication, accepting most payment methods, including traditional PIN debit, EMV Chip and PIN, or EMV Chip and Signature.

## EXCEEDS SECURITY STANDARDS

DynaPro devices are PCI PTS 3.x SRED compliant.



### DynaPro Mini

Secure cryptographic device for PIN, with SCRA, EMV contact and BLE or iOS connection



### DynaPro

Secure cryptographic device for PIN, with SCRA, EMV contact / contactless, and optional contactless NFC, signature capture, and privacy shield

## DynaPro Mini

MagTek's DynaPro Mini is a handheld device that combines a secure PCI PTS 3.x, SRED compliant PIN Entry Device with a MagneSafe™ secure card reader authenticator (SCRA) and a Smart Card reader. This versatile secure cryptographic device (SCD) is ideal for credit, ATM, Prepaid, gift, and debit cards for mobile point of sale applications where you need unmatched convenience and security. Reduce your interchange rates, reduce chargebacks and increase your customer satisfaction and sales with the DynaPro Mini.

### ENHANCED EXPERIENCE - MAXIMUM ACCEPTANCE

The DynaPro Mini provides a mobile solution that is convenient without sacrificing security. Bring multiple, low-cost, yet secure point-of-service terminals directly to the customer wherever and whenever they are ready to buy. MagTek has the most dynamic and flexible solutions, enabling increased convenience, speedier check-outs, enhanced security, reduced overall risk of fraud, while limiting the scope of PCI.

### EASE OF INTEGRATION AND IMPLEMENTATION

MagTek understands that development time is expensive, and that "time to market" is critical. The DynaPro Mini can be used with a variety of computing platforms including iOS, Android, PC and Mac computers. The DynaPro Mini can interface through the Apple 30-pin, its onboard micro USB port or its optional Bluetooth 4.0 (Bluetooth Low Energy or BLE) antenna. The display module is a full dot-matrix graphics unit with an LCD display and the fifteen-key keypad consists of well contoured buttons with tactile feedback for convenient entry of PINs or other data.

DynaPro Mini is a durable device made for easy connection. MagTek is your partner in development and provides a comprehensive platform of drivers, APIs, and Software Development Kits (SDKs). The SDKs include tools, documentation, and sample code for developing applications in a variety of environments for fast development and easy integration.

### EXCEEDS SECURITY STANDARDS

DynaPro Mini are PCI PTS 3.x SRED compliant.

## IPAD® and IPAD® SC

Prevent personal cardholder data breaches without compromising the speed and convenience of your cardholders' financial transactions with IPAD devices. Comprehensive, end-to-end security solution, IPAD immediately encrypts data at the point of swipe so personal information is never "in the clear." And using MagTek®'s advanced MagneSafe™ security features, ATM, debit, credit, gift cards and more are authenticated using MagnePrint®, a dynamically generated digital identifier already part of the magnetic stripe card used to render any counterfeit or cloned cards useless.

### STABILITY AND RELIABILITY

The IPAD is a multi-functional handheld POS terminal with keypad input, graphics display output on a 128x64 pixel screen, and magnetic card stripe reading with the integrated MagneSafe SCRA. The product is built around a secure, low powered SOC featuring a 96 MHz MIPS32 4KSD RISC processor with included RAM and Flash memory, USB 2.0 full speed connectivity, real-time clock, and battery-powered security protections.

### EXCEEDS SECURITY STANDARDS

IPAD devices are PCI PED 2.x compliant.



### IPAD

Secure cryptographic device for PIN, with SCRA and optional privacy shield



### IPAD SC

Secure cryptographic device for PIN, with SCRA, and optional signature capture, and privacy shield



## Specifications - Choose the best fit for your needs

	DynaPro	DynaPro Mini	IPAD	IPAD SC
<b>OPERATING SYSTEM</b>	Windows XP or later (32-bit or 64-bit); Microsoft .NET Framework version 2.0 (Not required but suggested);	Windows or iOS	Windows XP or later (32-bit or 64-bit) Microsoft .NET Framework version 2.0 (suggested)	Windows XP or later (32-bit or 64-bit) Microsoft .NET Framework version 2.0 (suggested)
<b>CONNECTION</b>	USB or Ethernet	iOS 30-pin microUSB Bluetooth BLE 4.0	USB, 6 ft cable (1.8 m) RJ12 (or RJ25) modular jack	USB, 6 ft cable (1.8 m) RJ12 (or RJ25) modular jack
<b>INTERFACE</b>	USB, Ethernet	USB, Bluetooth, iOS	USB 2.0 (USB 1.1)	USB 2.0 (USB 1.1); keyboard emulation
<b>MAGSTRIPE READER 3 TRACK, ANSI, ISO (7810, 7811 COMPLIANT), AMMVA, BIDIRECTIONAL</b>	X	X	X	X
<b>DISPLAY</b>	240x320 res; backlit; TFT color	Dot matrix LCD screen, 128 x 32 pixel array	Backlit, LCD Liquid crystal display; 128x64	Backlit, LCD Liquid crystal display; 128x64
<b>KEY PAD</b>	16 Keys (3 Function Keys), raised marking, ADA compliant	Rubber dome switches: 15 digits including 3 function keys, up/down arrows, ADA compliant	16-key, includes 3 soft function keys associated with LCD, ADA compliant;	16-key, includes 3 soft function keys associated with LCD, ADA compliant;
<b>POWER/ VOLTAGE</b>	Non contactless, USB Port Powered: 5VDC, 250mA Contactless Power Pack: 5VDC, 900mA	USB Port Powered via Micro-USB jack 5VDC, 500 mA when connected to computer USB port	USB bus powered; 5VDC; 100 ma	USB bus powered; 5VDC; 100 ma
<b>SCRA</b>	X	X	X	X
<b>EMV L1 EMV L2</b>	X	X	NA	NA
<b>NFC</b>	X	NA	NA	NA
<b>SECURE PIN PAD</b>	X	X	X	X
<b>SIGNATURE CAPTURE</b>	X	NA	NA	X
<b>PRIVACY SHIELD (OPTIONAL)</b>	X	NA	X	X
<b>SECURITY</b>	MSA: MAGNEPRINT; TRIPLE DES ENCRYPTION, DUKPT, TOKENIZATION, AUTHENTICATION, DYNAMIC DATA			
<b>TAMPER RESPONSIVE AND TAMPER RESISTANT/EVIDENT</b>	TAMPER RESPONSIVE AND TAMPER RESISTANT/EVIDENT			
<b>DEVICE MANAGEMENT: REMOTE KEY LOADING, UNIQUE NON CHANGEABLE SN, DEVICE AUTHENTICATION, TIME BOUND SESSION IDs</b>	DEVICE MANAGEMENT: REMOTE KEY LOADING, UNIQUE NON CHANGEABLE SN, DEVICE AUTHENTICATION, TIME BOUND SESSION IDs			
<b>MECHANICAL</b>				
<b>DIMENSIONS (LxWxH)</b>	8.8x3.3x2.4in / 223.5x99.1x 61.0mm	BLE: 3.82x2.46x1.05 in/ 97.0x62.5x26.6 mm iOS Device: 3.877x2.52x 1.05 in.	7.5x3.5x1.5in/ 190.5x88.9x38.1mm	7.5x3.5x1.5in/ 190.5x88.9x38.1mm
<b>ENVIRONMENTAL</b>				
<b>TEMPERATURE</b>	Operating Temp: 32°F - 113°F / 0°C - 45°C Storage Temp: 14°F - 140°F / 0°C - 60°C	Operating Temp: 32°F - 113°F / 0°C to 45°C Storage Temp: 14°F - 140°F / 0°C to 60°C	Operating Temp: 32°F to 113°F / 0°C to 45°C Storage Temp: 14°F to 140°F / -10°C to 60°C	Operating Temp: 32°F to 113°F / 0°C to 45°C Storage Temp: 14°F to 140°F / -10°C to 60°C
<b>HUMIDITY</b>	Operating Humidity: 10% - 90% RH, Storage Humidity: 10% - 90% RH non-condensing	Operating Humidity: 10% - 90% RH Storage Humidity: 10% - 90% RH non-condensing	Operating: 10% to 90% non-condensing at 23°C Storage: Up to 90% non-condensing	Operating: 10% to 90% non-condensing at 23°C Storage: Up to 90% non-condensing
<b>OPERATING ALTITUDE</b>	0 to 10,000 ft (0 to 3048 m)			



Founded in 1972, MagTek is a leading manufacturer of electronic systems for the reliable issuance, reading, transmission and security of cards, checks, PINs and identification documents. Leading with innovation and engineering excellence, MagTek is known for quality and dependability. Its products include secure card reader/authenticators, encrypting check scanners, PIN pads and distributed credential personalization systems. These products are used worldwide by financial institutions, retailers, and processors to provide secure and efficient payment and identification transactions. Today, MagTek continues to innovate. Its MagneSafe™ hardware architecture leverages strong encryption, secure tokenization, dynamic card authentication, and device/host validation enabling users to assess the trustworthiness of credentials and terminals used for online identification, payment processing, and high-value electronic transactions. MagTek is headquartered in Seal Beach, CA.





800 729 0236  
www.logiscenter.us



0241 9550 9225  
www.logiscenter.de



01 82 88 44 70  
www.logiscenter.fr



020 3318 8265  
www.logiscenter.co.uk



0720 115814  
www.logiscenter.at



02 58 80 583  
www.logiscenter.be



911 433 048  
www.logiscenter.com



02 4792 1697  
www.logiscenter.it



308 800 842  
www.logiscenter.pt

## About LOGISCENTER

Logiscenter is the leading provider of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

## Reasons to work with us

**Our customers come first.** Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

**The best brands.** We offer products from the best manufacturers worldwide.

**Expert technical support team.** Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

**Largest stock.** We have a permanent stock of more than 60,000 products.

**Same-day shipping.** For all orders placed and confirmed before 16:00 on working days.

**Best prices.** With Logiscenter, you can be sure that you are paying a fair price for your products, we will not overcharge you.

**Easy returns.** Damaged or defective products can be returned easily, for an exchange or reimbursement.



## All Brands Technical Service

## Our Brands



## Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables  
(labels, ribbons, PVC cards)