

ZEBRA TC70/TC75 ACCESSORIES BROCHURE



ZEBRA

RUGGED ALL-TOUCH ANDROID COMPUTER

A robust accessory family to tailor the TC70/TC75 to meet any enterprise.

The comprehensive family of accessories includes a snap-on magnetic stripe reader for mobile payment, a holster, a hand strap, a snap-on trigger handle and more, allowing you to easily tailor the TC70/TC75 to meet the needs of many different types of users performing many different types of tasks. And multi-slot battery chargers and the unique ShareCradle — a multi-slot and 2-slot cradle system that can accommodate charge-only or data needs for the TC70/TC75 and future Zebra mobile computers — make backroom management easy and cost effective.



SHARECRADLE SYSTEM



The ShareCradle System shares the same set of terminal and terminal spare battery “cups” across a suite of charge-only and communication bases, providing flexible and future proofed solutions in 5-slot and 2-slot configurations. All of the 2-slot and 5-slot ShareCradles can charge the TC70/TC75 with the hand strap and stylus attached. In addition, the 2-slot and 5-slot charge-only ShareCradles can charge the TC70/TC75 with snap-on accessories attached — including the magnetic stripe reader and trigger handle — making device charging easier than ever.

Note: The 2-Slot USB/Ethernet and 5-Slot Ethernet Cradles will not support any Snap-On accessories.

2-Slot cradles

The 2-Slot ShareCradle is designed to provide the best desktop solution. Available in Charge-Only or USB/Ethernet variants, the 2-Slot ShareCradles accommodate 1x TC70/TC75 and 1x spare battery.



Note: 2-Slot ShareCradles require power supply PWRS-14000-148R and country specific AC line cord sold separately.

Part Number	Description
 CRD-TC7X-SE2CU1-01	TC70 2-Slot Charge Only ShareCradle for 1x TC70 & 1x spare battery.
 CRD-TC7X-SE2EU1-01	TC7X 2-Slot Charge/USB/Ethernet ShareCradle for 1x TC70 & 1x spare battery.




5-Slot Cradles

The 5-Slot ShareCradles provide high Density & Flexibility. Available in Charge-Only or Ethernet variants, the 5-Slot ShareCradles can accommodate either 5x TC70s or 4x TC70s, plus 4x spare batteries off of one power supply via the 4-Slot Battery Charger Adapter Cup (sold separately). The 5-Slot ShareCradles can be racked/mounted in a standard 19 in. rack system via the mounting accessory.

Note: 5-Slot Cradles require Power Supply PWRS-14000-241R, country specific AC line cord, and DC Line Cord 50-16002-029R, all sold separately. Optional 4-Slot Battery Charger, 4-Slot Battery Charger Adapter Cup and Mounting Accessory sold separately.

Part Number	Description
 CRD-TC7X-SE5C1-01	TC7X 5-Slot Charge Only ShareCradle.
 CRD-TC7X-SE5EU1-01	TC7X 5-Slot Ethernet ShareCradle.

4-Slot battery charger and ShareCradle accessories


Part Number	Description
 SAC-TC7X-4BTYC1-01	TC7X Drop in style 4-Slot Battery Charger with LEDs to indicate Charge State. Can be docked and powered in the 5-Slot Cradle via adapter cup (sold separately) or used standalone. When used stand-alone requires Power Supply (PWRS-14000-148R) and country specific AC line cord sold separately.
 CUP-SE-BTYADP1-01	ShareCradle 4-Slot battery charger adapter cup. Allows for a TC70 4-Slot Battery Charger to be charged and docked on the 5-Slot ShareCradles.
 KT-UNIVLBRKT-01R	Adjustable ShareCradle metal mounting bracket. Allows for rack and wall mounting with cable routing slots and removable power supply tray.

POWERPRECISION BATTERIES




Best-in-class battery technology provides smart, convenient and flexible information along with business quality, performance and dependability. Our PowerPrecision batteries are manufactured and tested to meet rigorous controls and standards. We only use Premium-grade cells in our PowerPrecision batteries to deliver a higher capacity and a longer life cycle. And the strong and robust housing adds durability and protects performance.

	Part Number	Description
	BTRY-TC7X-46MA2-01	TC7X 4620 MAH LI-ON PowerPrecision Battery (Single Pack)
	BTRY-TC7X-46MA2-10	TC7X 4620 MAH LI-ON PowerPrecision Battery (10-PK)

PAYMENT

	Part Number	Description
	MSR-TC7X-SNP1-01	TC70/TC75 Snap-on Mag Stripe Reader. Reads Tracks 1, 2, & 3. Offers Point-to-point encryption (P2PE) with Encryption for Tracks 1, 2, and 3, supporting TDES/DUKPT and AES/DUKPT. Compatible with hand strap, Charge-Only Cradles, and Charging Cable Cups. Not compatible with other accessories.

CABLES


	Part Number	Description
	CHG-TC7X-CBL1-01	Charging Cable Cup. Snaps onto the bottom of TC70/TC75, allowing the users to charge their TC70/TC75 while another accessory is attached. Requires PWRS-14000-249R and country specific AC line cord sold separately.
	CBL-TC7X-USB1-01	Snap-On USB/Charge Cable. Connects to the IO connectors on the rear of Pollux. For charging, PWRS-14000-249R and Country Specific AC line cord sold separately.
	CBL-TC7X-SERL1-01	Snap-On Serial Cable. Provides serial communication as well as Power via PWRS-14000-249R sold separately. (Available Q3, 2015)
Image Not Available	CBL-TC7X-DEX1-01	Snap on Cable for DEX Communication. (Available Q3, 2015)

AUDIO ACCESSORIES

	Part Number	Description
	ADP-TC7X-AUDIO1-01	Snap-On 2.5 mm Audio Nugget. Headsets sold separately.
	HDST-25MM-PTVP-01	2.5 mm Headset for PTT and VoIP with rotating ear piece for right/left ear wearing and built in cord wrap.
	RCH51	Premium Rugged Headset optimized for voice-directed applications and voice communication for workers in harsh environments. Requires QD to 2.5 mm adapter or QD to 3.5mm adapter.
	25-124387-02R	RCH50/RCH51 Adapter Cable to 2.5 mm barrel jack.
	ADP-TC7X-AUD35-01	Snap-On 3.5MM Audio Jack Adapter for TC7X. Note: Headsets sold separately. (Available Q3, 2015)
	HDST-35MM-PTVP-01	3.5MM Headset for PTT + VoIP w/rotating ear piece for right/left ear wearing & built in cord wrap. Includes inline mic and PTT Button. (Available Q3, 2015)
	ADP-35M-QDCBL1-01	3.5MM to QD Audio Cable Adapter. (Available Q3, 2015)







SCANNING






Part Number	Description
 TRG-TC7X-SNP1-01	TC75 Snap-On Trigger Handle. Easily attaches to bottom housing and easily removed to access battery. Compatible with the Charge-Only 5-Slot & 2-Slot ShareCradles or Charging Cable Cup. Trigger includes a Tether point for Wrist Tether 50-12500-066 (sold separately).



SOFT GOODS

Part Number	Description
 SG-TC7X-HLSTR1-01	TC70/TC75 soft holster for vertical orientation with open bucket design to accommodate hand strap and snap-ons, such as the MSR for easy insertion and removal. Includes loop for optional stylus.
 SG-TC7X-HSTRP1-03	TC70/TC75 3-pack of hand straps. Made of leather and hypalon, this adjustable hand strap provides comfort to support a wide range of hand sizes while resisting wear in rugged environments. The hand strap also provides a loop and tether point for the optional stylus. Plastic clip latches into terminal for easy insertion and removal.
 SG-TC7x-STYLUS-03	TC70/TC75 Stylus with tether 3-pack. Made of conductive carbon-filled plastic material, this Rigid plastic stylus is optimized for enterprise durability. Clip and tether point to reduce loss.
 SG-TC7X-RHLSTR1-01	TC70/TC75 Rigid Holster with snap in Design. Rotating Belt Clip with ability to insert in either direction. Compatible with Snap-on Accessories excluding the Trigger Handle. (Available Q3, 2015)

VEHICLE ACCESSORIES

 CHG-TC7X-CLA1-01	TC70/TC75 Auto Charging Cable Cup. Snaps onto the bottom of TC75, allowing the users to charge their TC75 via a Vehicle's Cigarette Light Adapter (CLA).
 CRD-TC7X-CVCD1-01	TC75 Charge Only Vehicle Cradle. Supports snap on TC7X accessories excluding the Trigger Handle. Power Supplies (CHG-AUTO-CLA1-01 or CHG-AUTO-HWIRE1-01) and Optional Windshield Mounting Hardware sold separately. (Available Q3, 2015)
 CHG-AUTO-CLA1-01	CLA (Cigarette Light Adapter) Auto Charge Cable for The TC75 Vehicle Cradle. Does not work without Cradle (sold separately). (Available Q3, 2015)
Image Not Available	CHG-AUTO-HWIRE1-01
 RAM-B-166U	RAM Twist Lock Suction Cup with Double Socket Arm and Diamond Base Adapter; Overall Length: 6.75".
 RAM-B-238U	RAM 2.43" x 1.31" Diamond Ball Base w/ 1" Ball



POWER SUPPLIES

Part Number	Description
PWRS-14000-148R	Power Supply: 100-240 VAC, 12VDC, 4.16A for TC70 2-Slot Cradles and 4-Slot Battery Chargers. Country specific three wire grounded AC Line Cord sold separately.
PWRS-14000-241R	Power Supply: 100-240VAC, 12VDC, 9A for TC70 5-Slot Cradles. DC Line Cord (50-16002-029R and country specific three wire grounded AC Line Cord sold separately).
PWRS-14000-249R	Power Supply: 100-240VAC, 5.4 VDC, 3A for Charging Cable Cup, Serial Cable, and USB/Charge Cable. Order country specific two wire grounded AC Line Cord separately.
50-16002-029	DC Line Cord for PWRS-14000-241R



AC LINE CORDS FOR PWRS-14000-148R +241R

Part Number	Description
23844-00-00R	US AC line cord, 7.5 ft. long, grounded, three wire. Associated Country: United States.
50-16000-217R	AC Line Cord, 1.9 m, grounded, three wire, AS 3112 plug. Associated Countries: Australia, China, New Guinea.
50-16000-218R	AC Line Cord, 1.8 m, grounded, three wire, NEMA 1-15P plug. Associated Country: Japan.
50-16000-219R	AC Line Cord, 1.8 m, three wire, grounded BS1363 plug. Associated Countries: Hong Kong, Iraq, Malaysia, Singapore, United Kingdom.
50-16000-220R	AC Line Cord, 1.8 m, grounded three wire, CEE 7/7plug. Associated Countries: Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam.
50-16000-221R	AC Line Cord, 1.8 m, grounded, USA NEMA 5-15P. Associated Country: United States.
50-16000-256R	AC Line Cord, 1.8 m, grounded, three-wire, CEE7/7 plug. Associated Country: Korea.
50-16000-257R	AC Line Cord, 1.8 m, grounded, three wire, IEC 60320 C13 plug. Associated Country: China.
50-16000-669R	C Line Cord, 1.9 m grounded, three wire, BS 546 Plug. Associated Country: India.
50-16000-671R	AC Line Cord, 1.8 m grounded, three wire. CIE 23-16 plug Associated Country: Italy.
50-16000-672R	AC Line Cord, 1.9 m grounded, three wire, S132 Plug. Associated Country: Israel.
50-16000-678R	AC Line Cord, 36 in. long, grounded, three wire. Associated Country: United States.



AC LINE CORDS FOR PWRS-14000-249R

Part Number	Description
50-16000-255R	AC Line Cord, 1.8 m ungrounded, two wire, CEE7/16. (Countries: KR, VN, BE, FR, DE, IT, NL, ES, SE, AR, CL).
50-16000-182R	US AC line cord, ungrounded, two wire. Associated Country: United States.
50-16000-255R	AC Line Cord, 1.8 m ungrounded, two wire, CEE7/16. (Countries: KR, VN, BE, FR, DE, IT, NL, ES, SE, AR, CL).
50-16000-664R	AC Line Cord, 1.8 ungrounded, two wire, GB 2099-1-1996 plug. Associated Country: China
50-16000-666R	AC Line Cord, 1.8 m ungrounded, two wire AS 3112 plug. (Countries: AU, NZ)
50-16000-668R	AC Line Cord, 1.8 m ungrounded, BS 546 Plug. Associated Country: India.
50-16000-670R	AC Line Cord, 1.8 m ungrounded, two wire, BS 1363 Plug. Associated Countries: Bermuda, Hong Kong, Iraq, Malaysia, Singapore, and United Kingdom.

THE TC70/TC75 — THE PROFESSIONAL GRADE ANDROID DEVICE WITH A TRUE ENTERPRISE-CLASS FAMILY OF ACCESSORIES DESIGNED TO EXTEND AND ENHANCE THE TC70/TC75 TO MEET YOUR CHANGING AND GROWING BUSINESS NEEDS. FOR MORE INFORMATION, VISIT WWW.ZEBRA.COM/TC70/TC75 OR ACCESS OUR GLOBAL CONTACT DIRECTORY AT WWW.ZEBRA.COM/CONTACT

