

# CK70

Ultra-rugged  
Mobile Computer



- 12% smaller and lighter than leading devices in the ultra-rugged class
- Superior computing performance and application response time
- Flexible radio technology provides optimal network coverage and a superior solution for implementing least cost routing strategies
- Industry's fastest imaging engine delivering superior motion tolerance, laser aiming system, and optimized scanning angle for maximum productivity
- On-board diagnostics and INcontrol Managed Services provide device health visibility
- Best in class battery life for longer run time
- Part of Intermec's comprehensive enterprise business solution including printers, application software, communications, peripherals and accessories
- Non-incendive option for hazardous locations

## **We Didn't Compromise; Neither Should You**

Today's courier express, parcel and postal operations are in a race against time. Dimly lit trucks and warehouses, damaged barcodes, incorrect addresses, spotty wireless coverage, and weather extremes pose never-ending challenges to the goals of improving customer service and SLA compliance.

When it comes to selecting the optimal rugged mobile business solution to help you meet these goals, you often face another challenge: satisfying the needs and preferences of IT, Operations and the device user without making a trade-offs.

Intermec is the first to offer a no-compromise solution with the CK70 ultra-rugged mobile computer. The CK70 meets your challenges head on with next generation features that focus on increasing efficiency and delivering unparalleled reliability for track & trace and proof of delivery applications, even in the most extreme conditions. Extend the use of the CK70 into hazardous locations with the non-incendive certified (Div. 2) CK70.

The design of the CK70 is specifically optimized for the courier express, parcel (CEP) and postal environments. In addition to being 12% smaller and lighter than other form factors in its ultra-rugged class, the CK70 supports workers in this fast moving, mobile environment with an application specific keyboard layout that is both slender and back-lit to allow for effortless, all day single-handed use.

Intermec has developed the industry's fastest imaging engine, capable of scanning barcodes moving at up to 12.7m (500 in) per second, enabling the CK70 to provide remarkable motion tolerance and high read rates even in a highly dynamic work environment. The CK70 aiming system, featuring bright white LED illumination and a red laser aimer optimized for all lighting conditions, projects downward at a 35° angle allowing easier scanning of barcodes on parcels and enabling your mobile workers to view the mobile computer screen while scanning.

## **Reliability You Can Count On**

Scratched, damaged displays and missing or unreadable keys not only slow your workers down, they reflect poorly on your company's image. The CK70 includes a brilliant VGA display with a wear-resistant Gorilla™ Glass touch panel providing twice the service life of older touch panel technologies. Industrial grade polycarbonate keys with indestructible laser-etched legends ensure that the CK70 stays in your workers' hands instead of the repair depot.

The 70 Series no-compromise approach includes the option to choose a processor that best fits your needs. The CK70 offers two different, industrial grade superscalar multi-engine processors that offer faster performance with lower power consumption. Choose between the TI OMAP3 1GHz or the TI OMAP3 600MHz. Both offer the speed and reliability expected from the 70 Series.

By combining these latest generation processors along with state-of-the-art battery health diagnostics, the CK70 can be relied upon to deliver the power and performance you require as well as reduce the expenses associated with replacement batteries.

The CK70 continues its no-compromise design to radio connectivity. Wide-area solutions include a Flexible Network™ data radio that operates on any type of network; offering switch-on-the-fly network selection capability and eliminating the need for multiple pools of devices dedicated to one network. The CK70 also offers UMTS/HSUPA and CDMA/EV-DO Rev A voice, as well as data, WWAN radio options.

#### The Power to Work Smarter

We have surrounded the CK70 with a complete set of intelligent business solution software, tools, services and training modules, to create the smoothest and smartest possible integration into your workflows.

Every 70 Series mobile computer comes pre-loaded with Intermec's ScanNGo client to provide a premium device provisioning experience to simplify and expedite device staging operations. The standalone ScanNGo client enables CK70 users to provision, configure and automatically download application software even over WWAN in a matter of seconds rather than minutes by simply reading pre-configured barcodes.

When the CK70 is coupled with Intermec's VERDEX software, parcel pick-up and delivery workers have all the technology needed to quickly verify address data using a VERDEX powered mobile application. This reduces the volume and associated costs of undeliverable items by correcting address errors *before* they enter your system or arrive at your sorting hub. By providing visibility to items hours earlier than current processes, VERDEX and the CK70 allow you to achieve better downstream planning.

Intermec's application development resource kits enable you to utilize data from the barcode imager, camera, keyboard, touch panel, GPS receiver, sensors, and other input sources in innovative ways to develop new services for your customers. If you've developed applications using Intermec resource kits for previous Intermec products, you'll be able to easily migrate them to the CK70.

#### Prevent a Problem Before It Exists

The pace and competitiveness of business today doesn't allow for missed deadlines. Success depends on your ability to identify and prevent problems before they impact your mobile workers' productivity, and ultimately your customers' satisfaction.

The CK70 mobile computer's unique device health reporting capability provides insight never before available to allow mobile workers and IT administrators to monitor and prevent issues before they impact operations. Key sub-systems including scanning, communications and battery life can be monitored by either the mobile worker via an on-board dashboard or remotely through the Intermec SmartSystems™ console resulting in optimization and better utilization of your mobile computing assets.

For customers who want a trusted partner to take over the day-to-day task of managing and troubleshooting their mobile devices and WLAN/WWAN infrastructure, Intermec's INcontrol managed services portfolio offers flexible, integrated mobile device and wireless network management services via a hosted web based tool set. Through INcontrol, technical experts from Intermec or one of its qualified PartnerNet members, assume these tasks allowing customers to track assets, secure network investments efficiently and achieve a lower total cost of ownership (TCO).

#### Based on a Shared Platform

The CK70 is just one model out of four ergonomic designs that are available in the 70 Series family. Each model includes choices

of radios, keypads, imagers, software and services providing you the option of tailoring a *specific* solution to meet the various application areas within your environment and the preferences and needs of your employees.

With a single platform approach, the 70 Series family is unique in its ability to reduce infrastructure complexity and cost. The single computer architecture, software build, set of peripherals and charging system that is shared between the 70 Series products brings simplicity to the frequent tasks of software updates, training new employees, managing spares pools and charging devices.

#### Break the Cycle of Infrastructure Replacement

All of the 70 Series products are supported by a new docking system designed to maximize the return on your investment in charging and communications infrastructure and greatly reduce the space you must devote to it. Called FlexDock, the system uses a common 2- or 4-position base, combined with cups for mobile computers and battery packs in any combination, to adapt the base your specific needs.

In addition to wall mounting, FlexDock offers expanded mounting options to facilitate the use of standard IT equipment racks for better backroom space utilization and smaller footprint requirements.

When it's time to upgrade equipment, cost and complexity are reduced because existing cups can be easily replaced with new cups corresponding to the next generation solution, allowing the original bases and supporting components to be reused.

#### Your Customer Expects Reliability

When the reliability, efficiency and accuracy of your operations are the foundation to your competitive advantage, there is no room for compromise. The Intermec CK70, and the 70 Series family of mobile computers, provides unparalleled performance and reliability enabling you to run your operations with confidence.

#### Physical Characteristics

##### Dimensions with battery:

L x W x D: 23.7 x 8.0 x 4.3 cm (9.33 x 3.16 x 1.69 in)

**Weight:** 562 g (19 oz) with battery

**Width:** grip area 6.42 cm (2.53 in)

#### Environmental

**Operating Temperature:** -20° C to +60° C (-4° F to +140° F)\*

**Storage Temperature:** -30° C to +70° C (-22° F to +158° F)

**Charging Temperature:** +5° C to +35° C (41° F to 95° F)

**Relative Humidity:** Non-condensing, 95%

**Rain & Dust Resistance:** IP67

#### Drop Specification:

2.4 m (8ft.) to concrete per MIL-STD 810G, 1.8m (6 ft) to concrete across operating temperature range per MIL-STD 810G

2,000 (1m) tumbles per IEC 60068-2-32 specification

**Electrostatic Discharge:** +/- 15 kV air discharge; +/- 8 kV direct discharge

#### Power

**Battery Pack:** 3.7 V, 5200 mAh; IEEE 1725 compliant, Li-Ion, removable, rechargeable

#### Operating System

Microsoft Windows Embedded Handheld built on Windows 6.5.3 technology

#### Getting started information:

[www.windowsmobile.com/getstarted](http://www.windowsmobile.com/getstarted)

#### Multi-Engine Processor Architecture

Texas Instruments 1GHz OMAP3 multi-engine processor architecture

Texas Instruments 600MHz OMAP3 multi-engine processor architecture

### Memory and Storage

**Memory:** 512 MB RAM

**ROM:** 1 GB Flash

Customer-accessible micro-SD slot for removable memory cards up to 32 GB

### Display

- 8.9 cm (3.5 in) Transmissive VGA
- 480 x 640 pixels
- 65,536 (16 bit RGB) Colors
- High-Durability Touch Screen
- LED Backlight
- Ambient Light Sensor

### Standard Communications

USB - Full Speed 2.0 OTG®, USB - Full Speed 2.0 Client® IrDA

### Software

**Device Management:** Intermec SmartSystems™ support includes ScanNGo provisioning for use alone or with device management software from Intermec ISVs

**Device Health Monitoring:** Remote access requires SmartSystem Management option

**Application Development:** Intermec Developer Library  
[www.intermec.com/dev](http://www.intermec.com/dev)

### Apps & Components

VERDEX (Imaging based data extraction and verification), Mobile Document Imaging (eMDI)

### Data Management

Skynax® Mobile Communications

### Integrated Radios

**Wireless WAN:** Flexible Network Radio, software switchable

**UMTS Frequencies:** 800, 850, 900, 1900, 2100 MHz

**GSM/GPRS Frequencies:** 850, 900, 1800, 1900 MHz

**Technology Class:** UMTS/HSPA+ & CDMA/EVDO Rev. A

**Max Speeds (Network Dependent):** Uplink - 5.76 Mbps  
Downlink - 7.2 Mbps

**Antenna:** Internal

**Wireless WAN:** CDMA/EVDO Rev. A

**CDMA Frequencies:** 800, 1900 MHz

**Max Speeds (Network Dependent):** Uplink - 1.8 Mbps

Downlink - 3.1 Mbps

**Antenna:** Internal

**Wireless LAN:** IEEE®802.11 a/b/g/n Dual Band WLAN

**Security:** WiFi Certified for WPA and WPA2, WAPI Certified

**Cisco Compatibility:** CCXv4

**Authentication:** 802.1x

**Encryption:** WEP (64 or 128 bit), AES, TKIP

**Wireless PAN:** Integrated Bluetooth® Class II, Version 2.1+EDR

**Operating channels:** 0 to 78 (2402-2480 MHz)

**Data Rates:** 1, 2, 3 Mbps

**Antenna:** Internal

### Global Positioning System

12 channel Integrated GPS; Network independent autonomous mode; supports assisted operation via WAN

### Sensor Technology

**Accelerometer:** Embedded accelerometer enables automatic or application-specific features such as screen rotation or system suspend

### Audio Support

Supports VoIP / Speech recognition / Push to talk applications; front and rear speakers; rear speaker >80 dB at 40 cm (15.7 in); Front receiver and front panel microphone for handset audio communication and audio recording; Wireless Bluetooth headset support; Wired headset support via snap on adapter

### Integrated Scanner

EA30 high performance motion-tolerant 2D Imager; white LED illumination; red laser aimer optimized for all lighting conditions; 35 degree downward scan angle; Capable of scanning all common 1D and 2D barcodes; 1D as small as 5 mil; PDF as small as 6.6 mil; Data Matrix as small as 7.5 mil; and standard UPC codes from distances up to 33 cm (13 in)

### Integrated Camera Option

5 Megapixel auto focus color camera with LED flash

### Keypad Options

Both keypad options feature hard keycaps with laser-etched legends

Large Alpha with backlit  
Numeric legends



Alphanumeric



### Intermec Global Services Support:

[www.intermec.com](http://www.intermec.com) --> Support --> Knowledge Central  
Telephone support available in the USA & Canada (+1-800-755-5505). Outside of this area, contact your local representative.

Maintain software and device configuration with INcontrol Managed Services. Current listing of all Intermec service products can be found at:  
[www.intermec.com/services](http://www.intermec.com/services)

### Accessories

FlexDock modular docking system, vehicle dock and holder, snap on adaptors, and magnetic stripe reader

### Regulatory Approvals and Compliance

1001CP01U, 1001CP01C

**Safety:** cULus Listed, DEMKO, BSMI (pending)

**EMC:** Class B - FCC/ICES/EN, GOST-R

**Radio:** FCC w/HAC, Industry Canada,  A-tick (AU), C-tick (NZ), NCC (pending), OFTA (pending), IDA (pending), ICASA (pending), POSTEL (pending), NTC (pending), ETA (pending), SIRIM (pending), ANATEL (pending), 61 countries in total

**Environmental:** EU Directives-WEEE; RoHS; Batteries & Accumulators; Packaging & Waste Packaging

### Non-Incendive Version

70 Series family with NI certification comply with the following:

Suitable for use in Division 2 locations

**Safety:** cULus Listing - ISA/ANSI 12.12.01

**Gases:** Class I - Groups A, B, C, D

**Dusts:** Class II - Groups F, G

**Fibers and flyings:** Class III

\*Max Ambient: 50°C T6

### North America

#### Corporate Headquarters

6001 36th Avenue West  
Everett, Washington 98203  
Phone: (425) 348-2600  
Fax: (425) 355-9551

### North Latin America

#### Headquarters Office

Mexico  
Phone: +52 55 52-41-48-00  
Fax: +52 55 52-11-81-21

### South Latin America

#### Headquarters Office

Brazil  
Phone: +55 11 5502.6770  
Fax: +55 11 5502.6780

### Europe/Middle East & Africa Headquarters Office

Reading, United Kingdom  
Phone: +44 118 923 0800  
Fax: +44 118 923 0801

### Asia Pacific

#### Headquarters Office

Singapore  
Phone: +65 6303 2100  
Fax: +65 6303 2199

### Internet

[www.intermec.com](http://www.intermec.com)  
Worldwide Locations:  
[www.intermec.com/locations](http://www.intermec.com/locations)

### Sales

Toll Free NA: (800) 934-3163  
Toll in NA: (425) 348-2726  
Freephone ROW:  
00 800 4488 8844  
Toll ROW: +44 134 435 0296

### OEM Sales

Phone: (425) 348-2762

### Media Sales

Phone: (513) 874-5882

### Customer Service and Support

Toll Free NA: (800) 755-5505  
Toll in NA: (425) 356-1799



Copyright © 2011 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners. Printed in the U.S.A. 612100-01D 11/11

In a continuing effort to improve our products, Intermec Technologies Corporation reserves the right to change specifications and features without prior notice.





www.logiscenter.com  
902 050 030



www.logiscenter.it  
02 479 216 97



www.logiscenter.de  
info@logiscenter.de



www.logiscenter.pt  
308 800 842

## About LOGISCENTER

Grupo Logiscenter is the leading provider in Europe of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

## Reasons to work with us

**Our customers come first.** Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

**The best brands.** We offer products from the best manufacturers worldwide.

**Expert technical support team.** Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

**Largest stock.** We have a permanent stock of more than 12,000 products.

**Same-day shipping.** For all orders placed and confirmed before 16:00 on working days.

**Best prices.** With Logiscenter, you can be sure that you are paying a fair price for your products we will not overcharge you.

**Easy returns.** Damaged or defective products can be returned easily, for an exchange or reimbursement.

## Our Brands



MOTOROLA



datamax • o'neil



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables  
(labels, ribbons, PVC cards)



**All Brands  
Technical Service**

## Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health